


Recently developed flat disk shaped piezo-ceramic transducer, "Disk Transducer" is employed on the cylindrical triaxial specimen of 75 mm in diameter and 150 mm in height in several granular geo-materials. Both compressional and shear (P and S) waves were propagated exciting P type and S type piezo-ceramic elements together and the corresponding responses (received compressional and shear waves) are achieved simultaneously.

室内土供試体のP波とS波速度を同時に測定できる、ディスクトランスデューサーを開発しました。粒径の異なる3種類の砂で得られた結果を示します。

SIMULTANEOUSLY ACHIEVED COMPRESSIONAL AND SHEAR (P AND S) WAVES ON GRANULAR MATERIALS


Waveforms obtained on Toyoura sand

Toyoura sand (T-3), Dry, Dr. = 68%, $\sigma_1 = \sigma_3 = 100$ kPa




Waveforms obtained on Silica sand

Silica sand(S-1), Dry, Dr. = 88%, $\sigma_1 = \sigma_3 = 100$ kPa



Waveforms obtained on Hime gravel

Hime gravel (H-2), Dry, Dr. = 76%, $\sigma_1 = \sigma_3 = 100$ kPa



RELATIONS TO EVALUATE MATERIAL PROPERTIES

Relations used in elastic wave measurement

Velocity of the wave $\Rightarrow V_p = \frac{H}{T_p}$ $V_s = \frac{H}{T_s}$

Poisson's ratio in terms of velocity $\Rightarrow \nu = \frac{(0.5V_p^2 - V_s^2)}{V_p^2 - V_s^2}$ Young's modulus $\Rightarrow E = \frac{M(1-2\nu)(1+\nu)}{(1-\nu)}$

Constrained modulus $\Rightarrow M = \rho * V_p^2$ Conversion between G and E $\Rightarrow G = \frac{E}{2(1+\nu)}$

Shear modulus $\Rightarrow G = \rho * V_s^2$ H = Distance between two transducers (specimen height)




Static relations

Axial (vertical) strain, $\epsilon_a = -\int_{H_0}^H \frac{dH}{H} = -\ln\left(\frac{H}{H_0}\right)$

Radial (lateral) strain, $\epsilon_r = -\int_{R_0}^R \frac{dR}{R} = -\ln\left(\frac{R}{R_0}\right)$

Poisson's ratio, $\nu = -\frac{\delta\epsilon_r}{\delta\epsilon_a}$ Young's modulus, $E = \frac{\Delta\sigma}{\Delta\epsilon_a}$

Stress-Stiffness relationship



本研究に関する担当研究室は桑野研究室です。
 部屋は東京大学生産技術研究所B棟3階のBw-304
 電話: 03-5452-6843, FAX: 03-5452-6844
 E-mail: kuwano@iis.u-tokyo.ac.jp

For further information, contact below.
 Prof. Reiko Kuwano,
 #Bw-304, Institute of Industrial Science
 TEL: +81-3-5452-6843, FAX: +81-3-5452-6844
 E-mail: kuwano@iis.u-tokyo.ac.jp