




Effects of particle shape of granular materials on dynamic responses of their assembly are significant and thus worth being studied. Different shapes would affect their microstructure such as contact fabric or orientation of particles, and lead to different dynamic behaviours, which have not been fully understood. Consequently, triaxial compression experiments were carried out by considering different particle shapes. Stress responses and wave propagation in the process of monotonic loading were investigated. To eliminate the influence of packing density, specimens consisting of different particle shapes were prepared at a similar relative density.

動的応答に対する粒状材料の形状の影響は大きい。粒子形状が異なることで、粒子の接触モードおよび配向性などの微視構造に影響を与え、異なる力学的挙動を示すと考えられるが、まだ完全には解明されていない。そこで形状が異なる粒状体の三軸圧縮試験を行い、単調荷重の過程における変形強度特性と波動伝播特性を調べた。充填密度の影響を排除するために、異なる粒子形状からなる供試体を同様の相対密度で作製した。

### Experiment Apparatus




Wave measurement Triaxial apparatus

Layout of the apparatus

### Tested Materials







SEM photos



Spherical Deformed Clumped

	SSGB	SDGB	SCGB
$G_s$		2.5	
$D_{50}$ (mm)	0.5	1.0	0.6
$e_{min}$	0.589	0.494	0.694
$e_{max}$	0.694	0.666	0.961


### Wave Propagation



Variation of  $V_p$  with normal stress

Variation of  $V_s$  with stress components


### Stress Response



Deviatoric stress and volumetric change with axial strain due to particles with different shapes

### Frequency Domain Analysis

Gain factor =  $FFT_{output}/FFT_{input}$  FFT = Fast Fourier Transform



Gain factor variation of SDGB Before shearing

Gain factor variation of SDGB After shearing

